

THETFORD Glass hobs, recessed in worktop



	SERIE 165	SERIE 169
Version	All Gas	All Gas
Shape	Rectangular	Rectangular
Type	Recessed in Frame	Recessed in Frame
No of burners	2x Gas	3x Gas
Total heat input – gas	3.9 kW	5.4 kW
Gas burners	1x 1.5 kW 1x 2.4 kW	2x 1.5 kW 1x 2.4 kW
Hob capacity – recommended pan sizes	1x Ø140 - Ø260 mm 1x Ø120 - Ø200 mm	1x Ø120 - Ø140 mm 1x Ø120 - Ø200 mm 1x Ø140 - Ø260 mm
Spark ignition	12V dc	12V dc
Max input gas	281.0 g/h	389.0 g/h
Gas lid shutoff	Yes	Yes
Main dimension [HxWxD]	106x576x361 mm	105x546x482 mm
Net weight	8.00 kg	10.50 kg
Part number	SHB16549-SP	SHB16988-SP

THETFORD Glass hobs, mounted on worktop

	SERIE 910	SERIE 922	SERIE 931	9 SERIES	SERIE 981	SERIES 902
						
Version	All Gas	All Gas	All Gas	All Gas	Hybrid (Gas + Induction)	Induction
Shape	Rectangular	Domino	Rectangular	Rectangular	Rectangular	Domino
Type	Countertop	Countertop	Countertop	Countertop	Countertop	Countertop
No of burners	1x Gas	2x Gas	3x Gas	4x Gas	2x Gas / 1x Induction	2x Induction
Total heat input – gas	1.5 kW	3.0 kW	5.0 kW	6.0 kW	2.5 kW	N/A
Gas burners	1x 1.5 kW	2x 1.5 kW	1x 1.0 kW 1x 1.5 kW 1x 2.5 kW	4x 1.5 kW	1x 1.0 kW 1x 1.5 kW	N/A
Electric induction zones – Standard (220-240V 50Hz)	N/A	N/A	N/A	N/A	Ø145mm - 1.4 kW	Ø145 mm - 1.4 kW Ø210 mm - 1.8 kW
Hob capacity – recommended pan sizes	1x Ø120 - Ø200 mm	2x Ø120 - Ø200 mm	1x Ø100 - Ø180 mm 1x Ø120 - Ø200 mm 1x Ø140 - Ø220 mm	2x Ø120 - Ø180 mm 2x Ø120 - Ø200 mm	1x Ø100 - Ø160 mm 1x Ø120 - Ø200 mm 1x Ø180 - Ø220 mm	1x Ø90 - Ø160 mm 1x Ø135 - Ø220 mm
Spark ignition	12V dc	12V dc	12V dc	12V dc	12V dc	N/A
Energy consumption of induction heater	N/A	N/A	N/A	N/A	1.4 kW	1.4 kW
Max current (230V ac)	N/A	N/A	N/A	N/A	0,7 A	10A
Max input gas	108.0 g/h	216.0 g/h	360.0 g/h	432.0 g/h	180.0 g/h	N/A
Gas lid shutoff	N/A	N/A	N/A	N/A	6.5 kg	N/A
Left/Right Handed	N/A	N/A	N/A	N/A	Left Right	N/A
Main dimension (HxWxD)	95x305x355 mm	95x305x500 mm	95x770x350 mm	125x540x480 mm	100x500x380 mm	53x305x500 mm
Net weight	4.0 kg	5.0 kg	6.0 kg	8.0 kg	6.5 kg	5.5 kg
Part number	SHB91099-SP	SHB92298-SP	SHB93199-SP	SHB94999-SP	SHB98199-SP SHB98189-SP	SHB90298-SP

THETFORD Stainless steel hobs, recessed in worktop



	SERIE 330	SERIE 330	SERIE 345	SERIE 345
Version	All Gas	All Gas	All Gas	All Gas
Shape	Triangular	Triangular	Rectangular	Rectangular
No of burners	3x Gas	3x Gas	3x Gas	3x Gas
Total heat input – gas	4.5 kW	4.5 kW	5.5 kW	5.5 kW
Gas burners	3x 1.5 kW	3x 1.5 kW	2x 1.5 kW 1x 2.5 kW	2x 1.5 kW 1x 2.5 kW
Hob capacity – recommended pan sizes	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm	3x Ø120 - Ø180 mm
Spark ignition	12V dc	12V dc	12V dc	12V dc
Pan rest	Wired	Wired	Cast iron	Wired
Max input gas	324.0 g/h	324.0 g/h	396.0 g/h	396.0 g/h
Lid hinging	Rear	Rear	Rear	Rear
Gas lid shutoff	Yes	Yes	Yes	Yes
Left / Right hand	Left	Right	N/A	N/A
Main dimension (HxWxD)	100 x 480 x 480 mm	100 x 480 x 480 mm	100 x 540 x 445 mm	100 x 540 x 445 mm
Net weight	4.7 kg	4.7 kg	6.2 kg	5.7 kg
Part number	SHB33076-SP	SHB33077-SP	SHB34587-SP	SHB34588-SP

SERIE 111



Version	All gas
Main dimensions (HxWxD)	195x900x370 mm
Worktop cut-out dimensions (WxD)	888 x 358 mm
Fixation	Surface mounted
No of burners	2x Gas
Total heat input – gas	3.0 kW
Gas burners	2x 1.5 kW
Hob capacity – recommended pan sizes	1x Ø120 - Ø160 mm 1x Ø120 - Ø220 mm
Spark ignition	12V dc
Max input gas	216.0 g/h
Inside bowl dimensions (HxWxD)	Ø235x140 mm
Bowl capacity	4.2 L
Waste hole	Ø39 mm (Euro)
Outlet size – waste pipe	Ø25 mm
Tap hole	Ø40 mm
Lid hinging	Rear
Hob material	Black glass
Gas lid shutoff	Yes
Net weight	11.0 kg
Left / Right hand	Right
Part number	SCU11189-SP